




www.goodlucktransmission.com

铸造组合链 Cast combination chains




GL 链号	节距 (mm)	尺寸 Dimension(mm)					极限强度 (KN)	重量 (Kg/m)
Chain No.	Pitch	B	C	T	D		Ultimate S trength	Weight
C55	41.4	32.0	19.0	4.8	9.5		40.0	3.2
C60	58.6	42.9	25.4	7	12.7		71.0	4.47
C77	58.6	32.0	22.0	4.8	11.1		49.0	3.4
C188	66.3	39.6	29.0	5.8	12.7		62.0	5.3
C102B	101.6	73.0	38.1	9.5	20.0		107.0	9.4
C110	152.4	72.0	38.1	9.5	16.0		107.0	9.3
C132	153.6	111.0	50.8	12.7	25.4		272.0	21.6




苏州股特来传动科技有限公司

铸造输送链 Cast chains for conveyors



GL 链号	节距 (mm)	尺寸 Dimension(mm)						极限强度 (KN)	重量 (Kg/m)
Chain No.	Pitch	A	B	C	T	D		Ultimate S trength	Weight
CC600	63.5	23.5	43.0	29.0	8.0	11.0		74.0	5.4
CC1300	82.5	30.2	50.8	38.1	9.5	14.2		109.0	4.2




GL 链号	节距 (mm)	尺寸 Dimension(mm)						极限强度 (KN)	重量 (Kg/m)
Chain No.	Pitch	A	B	C	T	D		Ultimate S trength	Weight
MC33	63.5	18.0	38.1	32.0	8.6	12.7		49.0	5.1




铸造枢轴链-400型

Cast pintle chains-400



GL 链号	节距 (mm)	尺寸 Dimension(mm)				极限强度 (KN)	重量 (Kg/m)
Chain No.	Pitch	A	B	C	D	Ultimate S trength	Weight
442	34.93	26.92	50.80	19.05	7.94	27.0	2.23
445	41.40	26.92	50.80	19.05	7.94	27.0	2.38
452	38.25	27.69	56.36	21.43	9.26	31.0	3.27
455	41.40	28.45	57.94	21.43	9.26	31.0	3.13
462	41.50	36.58	65.09	23.81	11.11	39.0	4.02
477	58.62	31.75	64.29	25.40	11.11	43.0	3.27
488	66.27	41.00	75.00	25.40	11.11	49.0	4.61




GL 链号	节距 (mm)	尺寸 Dimension(mm)				极限强度 (KN)	重量 (Kg/m)
Chain No.	Pitch	A	B	C	D	Ultimate S trength	Weight
4103	78.11	47.60	87.00	38.00	19.05	124.0	9.23
4124	103.20	58.00	108.00	44.50	20.64	166.0	13.69




铸造枢轴链-500型&700型

Cast pintle chains-500&700




GL 链号	节距 (mm)	尺寸 Dimension(mm)				极限强度 (KN)	重量 (Kg/m)
Chain No.	Pitch	A	B	C	D	Ultimate S trength	Weight
503	76.70	50.80	107.20	33.30	14.00	90.0	9.23
504	103.10	73.20	146.00	42.90	16.00	122.0	12.65




GL 链号	节距 (mm)	尺寸 Dimension(mm)				极限强度 (KN)	重量 (Kg/m)
Chain No.	Pitch	A	B	C	D	Ultimate S trength	Weight
710	119.63	78.60	142.88	37.00	17.46	122.0	9.38
720	152.40	45.97	90.09	38.10	17.46	122.0	6.25
720S	152.40	47.70	92.40	39.60	19.05	167.0	7.74
730	41.50	50.80	96.00	44.45	19.05	187.0	8.93



铸造糖机链 Cast Class Sugar Mill Chains




GL 链号	节距 (mm)	尺寸 Dimension(mm)										重量 (Kg/m)
Chain No.	Pitch	L	T	H	G	A	B	C	D	E	F	Weight
5174E4	60.0	28.8	10.0	18.9	16.3	61.5	139.5	63.7	14.0	9.6	25.0	17.0



GL 链号	节距 (mm)	尺寸 Dimension(mm)										重量 (Kg/m)
Chain No.	Pitch	L	T	H	G	A	B	C	D	E	F	Weight
907E51	80.5	38.1	10.0	18.3	23.9	57.0	142.0	60.0	16.0	16.0	/	19.8




铸造易拆链附件 Cast attachment for rivetless chains




GL链号	节距 (mm)	尺寸 Dimension(mm)								
Chain No.	Pitch	A	B	C	T	F	H	D	E	
X348	76.6	80.0	35.0	26.0	7.0	26.0	43.5	11.0	11.0	
X458	102.4	88.0	50.0	35.0	8.0	30.0	50.0	11.0	13.0	



铸造附件 Cast attachment




链号	尺寸 Dimension(mm)											重量 (Kg/Pcs)
Chain No.	A	F	J	K	B	G	T	C	P	D	E	Weight
5A	91.29	69.85	23.80	11.10	62.78	35.00	4.35	19.05	15.08	7.94	9.53	0.27
39A	76.20	53.98	23.80	11.10	62.78	35.00	6.35	19.05	15.08	7.94	9.53	0.24



链号	尺寸 Dimension(mm)											重量 (Kg/Pcs)
Chain No.	A	F	J	K	B	G	T	C	P	D	E	Weight
1C	127.00	88.90	33.34	28.58	50.80	25.40	7.94	39.69	23.02	12.70	15.88	0.73
2C	38.10	88.90	34.93	31.75	50.80	25.40	7.94	66.67	25.40	12.70	15.88	0.95
5C	28.80	69.85	33.34	28.58	50.80	20.64	7.94	34.93	21.43	12.70	15.88	0.59



驱动链 Drive chain



链号	尺寸 Dimension(mm)														
Chain No.	P	A	C	B	H	E	F	G	J	K	L	T	S	D	M
X348	50.80	304.80	41.40	48.00	41.20	15.90	25.40	28.60	45.20	31.55	70.79	6.35	6.50	14.27	28.60
X458	50.80	203.20	41.40	48.00	44.40	25.40	25.40	35.00	45.20	31.55	70.79	6.35	6.50	14.27	28.60
X678	50.80	304.80	41.40	48.00	54.00	27.00	25.40	50.80	45.20	31.55	70.79	6.35	6.50	14.27	28.60